



Fall protection

AN06420B

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its braided rope which makes it easy to set it up and follow-up for the user over a length of 20 metres



Specific benefits



Ease of Use

· NFC system guarantees traceability

Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance

Certifications and norms



EN353-2
120 KG

Risk Protection



Fall



enjoy safety.

Edit 28/05/2026
www.deltaplus-usa.com



Fall protection

AN06420B

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its braided rope which makes it easy to set it up and follow-up for the user over a length of 20 metres

Standards - Details

Technical details

Type of equipment	Braided rope
Composition of the main support	Steel, Stainless steel, Polyamide
Max. length (m)	20
Length (m)	20
Rope diameter (mm)	12
Color	White-Black
Ending	1 loop sewn thimble
Weight (kg)	2,850
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work
Length (ft)	65.616








AN06420B

FALL ARRESTERS ON ROPE

Fall protection

Sliding fall arrest system already mounted on its braided rope which makes it easy to set it up and follow-up for the user over a length of 20 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN06420B	White-Black	20 m	AN06420B	3295249309435	13295249309432	5	1	15.0 kg	23.0 cm	76.0 cm	24.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height