



HAR14MFB

FALL ARRESTER HARNESSES

Fall protection



Specific benefits



Hygiene

· Can wash harnesses and textiles with neutral soap



Performance

· Certification above maximum rated load 100kg; product certified at 140kg



Ease of Use

· Two-tone strap makes harness easy to put on

Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Forestry

Certifications and norms

EN361

Risk Protection



Fall



HAR14MFB

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness with restraint
Composition of the main support	Steel, Polyester
Strap width (mm)	45
Fastening	Buckles
Number of attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Orange
Type of fitting	Male/Female
Size	S, M, L
Lifespan from manufacturing (years)	10
Weight (kg)	1.2
Type of conditioning	box of 10
Number of fall arrest anchorage points	2
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection








HAR14MFB

FALL ARRESTER HARNESSES

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WHAR14MFBGT	Orange	S/M/L	HAR14MFB	3295249312084	13295249312081	10	1	12.94 kg	80.0 cm	23.0 cm	32.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height