



HAR11MFB

FALL ARRESTER HARNESSES

Fall protection



Specific benefits



Hygiene

- Can wash harnesses and textiles with neutral soap



Performance

- Certification above maximum rated load 100kg; product certified at 140kg



Ease of Use

- Two-tone strap makes harness easy to put on
- NFC system guarantees traceability

Certifications and norms



CATEGORY III

EN361
140 KG

Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Storage

Risk Protection



Fall



HAR11MFB

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Adjustment	2 adjustable lateral plates
Fastening	Buckles
Number of attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Orange
Size	S, M, L
Lifespan from manufacturing (years)	10
Weight (kg)	0.7
Number of manual buckles	2
Number of fall arrest anchorage points	2
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



HAR11MFB

FALL ARRESTER HARNESSES

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WHAR11MFBGT	Orange	S/M/L	HAR11MFB	3295249312077	13295249312074	10	1	7.7 kg	44.0 cm	28.0 cm	25.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height