



# SIMBA S3 SRC Black

UTILITIES

High-cut shoe with contact heat resistant sole (HRO: 300°C for 60 seconds).

Foot protection



## Specific benefits



### Comfort

- Dual-density outsole



### Performance

- Sole designed to withstand contact heat up to 300°C
- High stability ensured by the sole's grip properties



### Hygiene

- Removable insock for easy cleaning

## Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance

## Certifications and norms



EN ISO 20345:2022  
S3 HRO WPA FO A E SR

## Protects against risks



Antistatic



Heat



Shock



Slip



# SIMBA S3 SRC Black

## UTILITIES

High-cut shoe with contact heat resistant sole (HRO: 300°C for 60 seconds).

Foot protection

### Standards - Details

### Technical details

Shoe type	High-cut shoe
Outsole material	PU, Nitrile rubber
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Split Leather
Safety toe-cap	Stainless steel
Lining material	Textile
Lining material finition	Breathable
Footbed material	Textile
Footbed characteristic	Removable
Outsole finition	Injected
Weight (g per shoe)	650
Size range	36 → 46








# SIMBA S3 SRC

## UTILITIES

Safety footwear

High-cut shoe with contact heat resistant sole (HRO: 300°C for 60 seconds).

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
SIMBAS3NO36	Black	36	SIMBA S3 SRC	3295249230173	13295249230170	10	1	5.4 kg	22.2 cm	60.2 cm	33.8 cm
SIMBAS3NO37	Black	37	SIMBA S3 SRC	3295249230180	13295249230187	10	1	14.0 kg	61.0 cm	43.0 cm	34.0 cm
SIMBAS3NO38	Black	38	SIMBA S3 SRC	3295249206406	13295249206403	10	1	14.0 kg	61.0 cm	43.0 cm	34.0 cm
SIMBAS3NO39	Black	39	SIMBA S3 SRC	3295249206413	13295249206410	10	1	5.9 kg	22.2 cm	59.8 cm	33.8 cm
SIMBAS3NO40	Black	40	SIMBA S3 SRC	3295249206420	13295249206427	10	1	14.0 kg	61.0 cm	43.0 cm	34.0 cm
SIMBAS3NO41	Black	41	SIMBA S3 SRC	3295249206437	13295249206434	10	1	6.1 kg	22.0 cm	59.4 cm	33.0 cm
SIMBAS3NO42	Black	42	SIMBA S3 SRC	3295249206444	13295249206441	10	1	14.0 kg	61.0 cm	43.0 cm	34.0 cm
SIMBAS3NO43	Black	43	SIMBA S3 SRC	3295249206451	13295249206458	10	1	6.5 kg	22.8 cm	62.4 cm	35.6 cm
SIMBAS3NO44	Black	44	SIMBA S3 SRC	3295249206468	13295249206465	10	1	15.0 kg	64.5 cm	45.5 cm	36.5 cm
SIMBAS3NO45	Black	45	SIMBA S3 SRC	3295249206475	13295249206472	10	1	15.0 kg	64.5 cm	45.5 cm	36.5 cm
SIMBAS3NO46	Black	46	SIMBA S3 SRC	3295249206482	13295249206489	10	1	7.1 kg	23.0 cm	62.4 cm	35.8 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height