



Hand protection

VV915

LONG-LASTING CUT WORK

A4 rated impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating



Specific benefits



Durability

- Tested before and after washing: performance unchanged
- Longer service life thanks to a double coating for excellent abrasion resistance



Easy to use

- Hook-and-loop fastener for better wrist support



Hygiene

- Washable glove, so it can be reused
- Nitrile means no risk of allergies for users



Performance

- Flexible reinforcements for added protection against impact and pinching

Certifications and norms



EN 388
4 X 4 3 D P



EN 407
X 1 X X X X



A4 6 5



ANSI ISEA 138
PERFORMANCE LEVEL : 1

Risk Protection



Heat



Shock



Cutting



enjoy safety.



Hand protection

VV915

LONG-LASTING CUT WORK

A4 rated impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating

Standards - Details



EN388:2016+A1:2018

- 4 [0-4] ABRASION RESISTANCE
- X [0-5] CUT RESISTANCE
- 4 [0-4] TEAR RESISTANCE
- 3 [0-4] PIERCE RESISTANCE
- D [A-F] CUT RESISTANCE ISO 13997
- P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

- X [0-4] BURNING BEHAVIOUR
- 1 [0-4] CONTACT HEAT RESISTANCE
- X [0-4] CONVECTIVE HEAT
- X [0-4] RADIANT HEAT RESISTANCE
- X [0-4] SMALL DROP MOLTEN METAL
- X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Impact
Special gloves kind	Impact
Fiber	Elastane, Fiberglass, Nylon, Polyester, Spandex
Coating Level	Hand Coated
Coating Material	Nitrile
Coating Finish	Smooth, Grip-textured
Number of Coatings	Double Coated
Gauge	15
Cuff characteristic	Velcro cuff
Benefits element	Washable, Vendor pack
Color	Yellow-Grey-Black
Size	7, 8, 9, 10, 11, 12
Type of conditioning	Header card



Safety gloves

VV915

LONG-LASTING CUT WORK

Impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV915JA09	Yellow-Grey-Black	09	VV915	3295249305727	13295249305724	60	12	15.15 kg	25.0 cm	32.0 cm	70.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height