



Head protection

BARRIER 3

ARC - WELDING

Welding mask with adjustable tinting suitable for all welding jobs



Applications

- Building
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Automotive

Certifications and norms



EN 379

1/1/1/2
4/5-13

16321 DELTA-PLUS W 15 E CE

EN166

1 B

ANSI Z87.1 - IMPACT

Z87

Risk Protection



Heat



Shock



UV / IR



enjoy safety.

Edit 27/02/2026
www.deltaplus-usa.com



Head protection

BARRIER 3

ARC - WELDING

Welding mask with adjustable tinting suitable for all welding jobs

Standards - Details

Technical details

Use	Outside
Type of eye protection	Welding helmet
Lens Material	Polycarbonate
Lens color	Welding 13
Optical class	1
Lens protection class	4
Mechanical strength (lens)	B
Frame color	Black, Silver
Weight (g)	500
Type of conditioning	Sold by Unit



BARRIER 3

WELDING

Head protection

Welding mask with adjustable tinting suitable for all welding jobs

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
BARRIER3	Black-Grey	Adjustable	BARRIER 3	3295249309992	13295249309999	6	1	7.0 kg	32.8 cm	73.2 cm	52.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height