



WZIRCON 1 White

HARD HATS

Head protection



Specific benefits



Comfort

· Adjustable from 53cm to 63cm for optimized comfort



Hygiene

· Replaceable suspension for a better hygiene



Durability

· Replacement basane



Performance

· Adjustable headband can be positioned high or low for a secure fit that keeps helmet in place during movement

Certifications and norms



440VAC



EN 50365
CLASS 0

Applications

- Public Works
- Building
- Heavy Industry
- Light Industry
- Maintenance
- Automotive

Risk Protection



Shock



WZIRCON 1 White

HARD HATS

Head protection

Standards - Details

Technical details

Type of product	Safety Helmet
Shell Material	HDPE, Shell Material/Polypropylene
Head Measurement (cm)	53-63
Polymer harness	PE (Polyethylene)
Headband Materials	Polyethylene
Adjustment	Slide-Lock
Ventilation	Non vented
Main color	White
Suspension Points	8 points
Comfort Headband	Polyester
Helmet peak	Micro
Chin Strap Points	4 Point Chin Strap
Mounting notch (for earmuffs fixation)	yes
Custom logo	Available option
Weight (g)	337
Weight (lbs)	0.7415
Lifespan from first use	36 months
Lifespan from manufacturing	48 months
Contained colors	White, Blue, Yellow, Orange, Red
Chin Strap Material	Textile








WZIRCON 1

SAFETY HELMETS

Head protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WZIRC1BL	Blue	Adjustable	WZIRCON 1	3295249318406	13295249318403	40	1	16.606 kg	43.4 cm	58.4 cm	78.0 cm
WZIRC1OR	Orange	Adjustable	WZIRCON 1	3295249318420	13295249318427	40	1	16.606 kg	43.4 cm	58.4 cm	78.0 cm
WZIRC1RO	Red	Adjustable	WZIRCON 1	3295249318437	13295249318434	40	1	16.606 kg	43.4 cm	58.4 cm	78.0 cm
WZIRC1BC	White	Adjustable	WZIRCON 1	3295249318390	13295249318397	40	1	16.606 kg	43.4 cm	58.4 cm	78.0 cm
WZIRC1JA	Yellow	Adjustable	WZIRCON 1	3295249318413	13295249318410	40	1	16.606 kg	43.4 cm	58.4 cm	78.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height