



Hand protection

VE803

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove, combining comfort and durability, ideal for dealing with hydrocarbons



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle
· Extra thick and long for extra protection of the entire arm

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Automotive

Certifications and norms



EN 388
4 0 1 1 X



EN ISO 374-1
TYPE A
AJKLMNOPT



EN ISO 374-5

Risk Protection



Biological



Wearing



Chemical



Particules



Hand protection

VE803

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove, combining comfort and durability, ideal for dealing with hydrocarbons

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
0 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
J
K
L
M
N
O
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating Level	Full Coating
Coating Material	Nitrile
Coating Finish	Smooth
Number of Coatings	Single Coated
Lining material	Cotton Textile
Thickness (mm)	0,85
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Free latex, Silicone free
Color	Green
Size	9, 10, 11
Type of conditioning	in individual bags



Hand protection

VE803

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove, combining comfort and durability, ideal for dealing with hydrocarbons

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	2	30	41.8%
n-Heptane	J	142-82-5	6	480	14.0%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-19.3%
Acide Sulfurique 96%	L	7664-93-9	3	60	43.5%
Nitric Acid 65%	M	7697-37-2	2	30	36.4%
Acetic Acid 99%	N	64-19-7	3	60	24.5%
Hydroxyde d'ammonium 25%	O	1336-21-6	4	120	-10.8%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-0.2%
Acide hydrofluorique 40%	S	7664-39-3	3	60	X
Formaldehyde 37%	T	50-00-0	6	480	-7.0%








Safety gloves

VE803


WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove, combining comfort and durability, ideal for dealing with hydrocarbons

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE803VE09	Green	9/10	VE803	3295249187699	13295249187696	60	12	6.9 kg	66.0 cm	31.0 cm	16.0 cm
VE803VE10	Green	10/11	VE803	3295249187705	13295249187702	60	12	7.4 kg	66.0 cm	31.0 cm	16.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height