MULAN S3 SR

UTILITIES

Foot protection



Specific benefits

Comfort

· Dual-density outsole

Performance

· Sole designed to withstand contact heat up to 300°C
· High stability ensured by the sole's grip properties

Hygiene

· Removable insock for easy cleaning

Certifications and norms

CE

S3 HRO WPA FO A E SR

Applications

- **Agriculture**
- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Heavy Industry**
- **Maintenance**

Risk Protection

Antistatic | Shock | Slip | Perforation

DELTAPLUS

enjoy safety.

Edit 26/11/2026
www.deltaplus-usa.com

MULAN S3 SR

UTILITIES

Foot protection

Standards - Details

Technical details

Type of Shoe	High Shoes
Outsole material	PU, Nitrile rubber
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Split Leather
Safety toe-cap	Stainless steel
Lining material	Textile, Mesh
Lining Material Finish	Breathable
Footbed material	EVA, Textile
Footbed caracteristic	Removable
Weight (g per shoe)	650
Size range	36 → 46



MULAN S3 SR

UTILITIES

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
MULANS3NO36	Black	36	MULAN S3 SR	3295249324322	13295249324329	10	1	14.0 kg	0.61 m	0.43 m	0.34 m
MULANS3NO37	Black	37	MULAN S3 SR	3295249324339	13295249324336	10	1	14.0 kg	61.0 cm	43.0 cm	34.0 cm
MULANS3NO38	Black	38	MULAN S3 SR	3295249324346	13295249324343	10	1	14.0 kg	61.0 cm	43.0 cm	34.0 cm
MULANS3NO39	Black	39	MULAN S3 SR	3295249324353	13295249324350	10	1	14.0 kg	0.61 m	0.43 m	0.34 m
MULANS3NO40	Black	40	MULAN S3 SR	3295249324360	13295249324367	10	1	14.0 kg	61.0 cm	43.0 cm	34.0 cm
MULANS3NO41	Black	41	MULAN S3 SR	3295249324377	13295249324374	10	1	14.0 kg	61.0 cm	43.0 cm	34.0 cm
MULANS3NO42	Black	42	MULAN S3 SR	3295249324384	13295249324381	10	1	14.0 kg	0.61 m	0.43 m	0.34 m
MULANS3NO43	Black	43	MULAN S3 SR	3295249324391	13295249324398	10	1	17.0 kg	0.645 m	0.455 m	0.365 m
MULANS3NO44	Black	44	MULAN S3 SR	3295249324407	13295249324404	10	1	17.0 kg	0.645 m	0.455 m	0.365 m
MULANS3NO45	Black	45	MULAN S3 SR	3295249324414	13295249324411	10	1	17.0 kg	0.645 m	0.455 m	0.365 m
MULANS3NO46	Black	46	MULAN S3 SR	3295249324421	13295249324428	10	1	17.0 kg	0.645 m	0.455 m	0.365 m
MULANS3NO47	Black	47	MULAN S3 SR	3295249324438	13295249324435	10	1	17.0 kg	0.645 m	0.455 m	0.365 m
MULANS3NO48	Black	48	MULAN S3 SR	3295249324445	13295249324442	10	1	17.0 kg	64.5 cm	45.5 cm	36.5 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height