



TW402 S3S SR

CONSTRUCTION

All-terrain high-cut shoe, combining robustness and durability, regardless of the conditions

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Padded collar for comfort and ankle support



Performance

- Sole designed to withstand contact heat up to 300°C
- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties

Certifications and norms



S3S HRO CI HI WPA FO A E SC LG SRC

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Automotive
- Mining

Risk Protection



Antistatic



Heat



Shock



Cold



TW402 S3S SR

CONSTRUCTION

All-terrain high-cut shoe, combining robustness and durability, regardless of the conditions

Foot protection

Standards - Details

Technical details

Type of Shoe	High Shoes
Outsole material	PU, Nitrile
Anti-perforation insert	Metal free
Upper material	Leather
Upper finition material	Grain Leather, Water repellent
Safety toe-cap	Composite
Lining material	Polyamide
Lining Material Finish	Absorbent
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole finition	Welded
Weight (g per shoe)	972
Size range	39 → 48








TW402 S3S SR

CONSTRUCTION

Safety footwear

All-terrain high-cut shoe, combining robustness and durability, regardless of the conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TW402S3NO36	Black	36	TW402 S3S SR	3295249239541	13295249239548	5	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm
TW402S3NO37	Black	37	TW402 S3S SR	3295249239558	13295249239555	5	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm
TW402S3NO38	Black	38	TW402 S3S SR	3295249239565	13295249239562	5	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm
TW402S3NO39	Black	39	TW402 S3S SR	3295249222734	13295249222731	5	1	9.3 kg	30.2 cm	62.2 cm	37.0 cm
TW402S3NO40	Black	40	TW402 S3S SR	3295249224363	13295249224360	5	1	9.5 kg	30.2 cm	62.4 cm	35.2 cm
TW402S3NO41	Black	41	TW402 S3S SR	3295249224370	13295249224377	5	1	9.9 kg	30.0 cm	62.0 cm	35.6 cm
TW402S3NO42	Black	42	TW402 S3S SR	3295249224387	13295249224384	5	1	10.2 kg	31.6 cm	62.4 cm	35.0 cm
TW402S3NO43	Black	43	TW402 S3S SR	3295249224394	13295249224391	5	1	10.5 kg	33.4 cm	62.8 cm	37.2 cm
TW402S3NO44	Black	44	TW402 S3S SR	3295249224400	13295249224407	5	1	11.1 kg	33.6 cm	62.6 cm	37.4 cm
TW402S3NO45	Black	45	TW402 S3S SR	3295249224417	13295249224414	5	1	11.4 kg	33.0 cm	63.0 cm	37.4 cm
TW402S3NO46	Black	46	TW402 S3S SR	3295249224424	13295249224421	5	1	11.5 kg	33.4 cm	63.6 cm	37.4 cm
TW402S3NO47	Black	47	TW402 S3S SR	3295249224431	13295249224438	5	1	11.8 kg	33.0 cm	63.2 cm	37.4 cm
TW402S3NO48	Black	48	TW402 S3S SR	3295249224448	13295249224445	5	1	12.0 kg	32.8 cm	63.2 cm	37.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height