Hand protection

VV915

LONG-LASTING CUT WORK

A4 rated impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating



Certifications and norms

CE CATEGORY II

EN 388
4 X 4 3 D P

EN 407
X 1 X X X X

A4 6 5

ANSI ISEA 138
LEVEL 1

Risk Protection

Heat

Shock

Cutting

Specific benefits

Durability

· Tested before and after washing: performance unchanged
· Longer service life thanks to a double coating for excellent abrasion resistance

Easy to use

· Hook-and-loop fastener for better wrist support

Hygiene

· Washable glove, so it can be reused
· Nitrile means no risk of allergies for users

Performance

· Flexible reinforcements for added protection against impact and pinching

Hand protection

VV915

LONG-LASTING CUT WORK

A4 rated impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

EN 407
X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical Glove Type	Tricot
Special gloves kind	Impact
Fiber	Elastane, Fiberglass, Nylon, Polyester, Spandex
Coating Level	Hand Coated
Coating Material	Nitrile
Coating Finish	Smooth, Grip-textured
Number of Coatings	Double Coated
Gauge	15
Cuff caracteristic	Velcro cuff
Benefits element	Washable, Vendor pack
Color	Yellow-Grey-Black
Size	7, 8, 9, 10, 11, 12
Type of conditioning	Header card

Packaging

Sale unit: Header card
60 pairs /box



手部防护

209915

长时间正常切割作业

用于重体力劳动的防撞击手套，手掌经过加固，具有完全防水的丁腈橡胶涂层。

物流信息

产品代码	颜色	尺码	六位码	条形码	箱码			重量			
VV915JA09	黄色-灰色-黑色	09	209915	3295249305727	13295249305724	60	12	15.15 kg	25.0 cm	32.0 cm	70.0 cm

箱规

最低销售

箱长

箱宽

箱高