



DSPiRiT2 S1PS Blue

CASUAL

Foot protection



Specific benefits



Comfort

- Shock-absorbing heel to relieve joint strain
- Lightweight product to reduce fatigue throughout the day thanks to its anatomical and ergonomic removable insole.



Performance

- Grip on the ground
- Sole designed to withstand contact heat up to 300°C
- Metal-free: get through every security gate without a hitch thanks to the absence of metal.



Hygiene

- Removable insole for easy cleaning

Certifications and norms



S1PS HRO FO A E SR

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Events & Scenic
- Education
- Light Industry

Risk Protection



Antistatic



Heat



Shock



Slip



DSPIRIT2 S1PS Blue

CASUAL

Foot protection

Standards - Details

Technical details

Type of Shoe	Low Shoe
Outsole material	Nitrile rubber
Anti-perforation insert	Metal free
Upper material	Leather, Textile
Safety toe-cap	Composite
Lining material	Polyester
Footbed material	EVA
Footbed characteristic	Removable
Outsole finition	Injected
Size range	35 → 46



DSPIRIT2 S1PS

CASUAL

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
DSPIPSZ1BL035	Blue	35	DSPIRIT2 S1PS	3295249640064	13295249640061	10	1	1.0 kg	0.625 m	0.23 m	0.34 m
DSPIPSZ1BL036	Blue	36	DSPIRIT2 S1PS	3295249640088	13295249640085	10	1	1.0 kg	0.625 m	0.23 m	0.34 m
DSPIPSZ1BL037	Blue	37	DSPIRIT2 S1PS	3295249640101	13295249640108	10	1	1.0 kg	0.625 m	0.23 m	0.34 m
DSPIPSZ1BL038	Blue	38	DSPIRIT2 S1PS	3295249640125	13295249640122	10	1	1.0 kg	0.625 m	0.23 m	0.34 m
DSPIPSZ1BL039	Blue	39	DSPIRIT2 S1PS	3295249640149	13295249640146	10	1	1.0 kg	0.24 m	0.618 m	0.352 m
DSPIPSZ1BL040	Blue	40	DSPIRIT2 S1PS	3295249640163	13295249640160	10	1	1.0 kg	0.236 m	0.628 m	0.356 m
DSPIPSZ1BL041	Blue	41	DSPIRIT2 S1PS	3295249640187	13295249640184	10	1	1.0 kg	0.238 m	0.624 m	0.356 m
DSPIPSZ1BL042	Blue	42	DSPIRIT2 S1PS	3295249640200	13295249640207	10	1	1.0 kg	0.238 m	0.626 m	0.356 m
DSPIPSZ1BL043	Blue	43	DSPIRIT2 S1PS	3295249640224	13295249640221	10	1	1.0 kg	0.625 m	0.26 m	0.365 m
DSPIPSZ1BL044	Blue	44	DSPIRIT2 S1PS	3295249640248	13295249640245	10	1	1.0 kg	0.256 m	0.626 m	0.378 m
DSPIPSZ1BL045	Blue	45	DSPIRIT2 S1PS	3295249640262	13295249640269	10	1	1.0 kg	0.256 m	0.626 m	0.382 m
DSPIPSZ1BL046	Blue	46	DSPIRIT2 S1PS	3295249640286	13295249640283	10	1	1.0 kg	0.635 m	0.26 m	0.365 m
DSPIPSZ1GR035	Grey	35	DSPIRIT2 S1PS	3295249640071	13295249640078	10	1	1.0 kg	0.625 m	0.23 m	0.34 m
DSPIPSZ1GR036	Grey	36	DSPIRIT2 S1PS	3295249640095	13295249640092	10	1	1.0 kg	0.625 m	0.23 m	0.34 m
DSPIPSZ1GR037	Grey	37	DSPIRIT2 S1PS	3295249640118	13295249640115	10	1	1.0 kg	0.625 m	0.23 m	0.34 m
DSPIPSZ1GR038	Grey	38	DSPIRIT2 S1PS	3295249640132	13295249640139	10	1	1.0 kg	0.625 m	0.23 m	0.34 m
DSPIPSZ1GR039	Grey	39	DSPIRIT2 S1PS	3295249640156	13295249640153	10	1	1.0 kg	0.24 m	0.618 m	0.352 m
DSPIPSZ1GR040	Grey	40	DSPIRIT2 S1PS	3295249640170	13295249640177	10	1	1.0 kg	0.236 m	0.628 m	0.356 m
DSPIPSZ1GR041	Grey	41	DSPIRIT2 S1PS	3295249640194	13295249640191	10	1	1.0 kg	0.238 m	0.624 m	0.356 m
DSPIPSZ1GR042	Grey	42	DSPIRIT2 S1PS	3295249640217	13295249640214	10	1	1.0 kg	0.238 m	0.626 m	0.356 m
DSPIPSZ1GR043	Grey	43	DSPIRIT2 S1PS	3295249640231	13295249640238	10	1	1.0 kg	0.625 m	0.26 m	0.365 m
DSPIPSZ1GR044	Grey	44	DSPIRIT2 S1PS	3295249640255	13295249640252	10	1	1.0 kg	0.256 m	0.626 m	0.378 m
DSPIPSZ1GR045	Grey	45	DSPIRIT2 S1PS	3295249640279	13295249640276	10	1	1.0 kg	0.256 m	0.626 m	0.382 m
DSPIPSZ1GR046	Grey	46	DSPIRIT2 S1PS	3295249640293	13295249640290	10	1	1.0 kg	0.635 m	0.26 m	0.365 m



DSPIRIT2 S1PS

CASUAL

Safety footwear



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height