Foot protection

# TW302 S3 SRC

## CONSTRUCTION

All-terrain low-cut shoe, combining robustness and durability, regardless of the conditions



## Specific benefits

### Comfort

· Stabilisation of the foot when walking
· Shock-absorbing heel to relieve joint strain

### Performance

· Sole designed to withstand contact heat up to 300°C
· Metal-free: get through every security gate without a hitch thanks to the absence of metal.
· High stability ensured by the sole's grip properties

### Hygiene

· Removable insock for easy cleaning

## Certifications and norms

CE

S3S HRO CI HI WPA FO A E SC LG SR

## Applications

- **Agriculture**
- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Automotive**
- **Mining**

## Risk Protection

Antistatic | Heat | Shock | Cold



Foot protection

# TW302 S3 SRC

CONSTRUCTION

All-terrain low-cut shoe, combining robustness and durability, regardless of the conditions

## Standards - Details

## Technical details

| | |
|---|---|
| Type of Shoe | Low Shoe |
| Outsole material | PU, Nitrile |
| Anti-perforation insert | Metal free |
| Upper material | Leather |
| Upper finition material | Grain Leather, Water repellent |
| Safety toe-cap | Composite |
| Lining material | Polyamide |
| Lining Material Finish | Absorbent |
| Footbed material | EVA, Polyester |
| Footbed caracteristic | Removable, Breathable, Pre-molded |
| Outsole finition | Welded |
| Weight (g per shoe) | 894 |
| Size range | 39 → 48 |



Safety footwear

# TW302 S3 SRC

## CONSTRUCTION

All-terrain low-cut shoe, combining robustness and durability, regardless of the conditions

## Logistics Information

| Reference | Color | Size | Designation | EAN13 | Box Code | | | Weight | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| TW302S3NO36 | Black | 4 | TW302 S3 SRC | 3295249239510 | 13295249239517 | 5 | 1 | 9.3 kg | 62.0 cm | 23.0 cm | 29.5 cm |
| TW302S3NO37 | Black | 5 | TW302 S3 SRC | 3295249239527 | 13295249239524 | 5 | 1 | 9.3 kg | 62.0 cm | 23.0 cm | 29.5 cm |
| TW302S3NO38 | Black | 6 | TW302 S3 SRC | 3295249239534 | 13295249239531 | 5 | 1 | 9.3 kg | 62.0 cm | 23.0 cm | 29.5 cm |
| TW302S3NO39 | Black | 7 | TW302 S3 SRC | 3295249222727 | 13295249222724 | 5 | 1 | 8.7 kg | 25.2 cm | 61.8 cm | 35.0 cm |
| TW302S3NO40 | Black | 7.5 | TW302 S3 SRC | 3295249224271 | 13295249224278 | 5 | 1 | 8.8 kg | 24.6 cm | 62.4 cm | 35.4 cm |
| TW302S3NO41 | Black | 8 | TW302 S3 SRC | 3295249224288 | 13295249224285 | 5 | 1 | 9.1 kg | 25.4 cm | 62.2 cm | 34.2 cm |
| TW302S3NO42 | Black | 9 | TW302 S3 SRC | 3295249224295 | 13295249224292 | 5 | 1 | 9.4 kg | 27.0 cm | 62.2 cm | 35.4 cm |
| TW302S3NO43 | Black | 10 | TW302 S3 SRC | 3295249224301 | 13295249224308 | 5 | 1 | 9.7 kg | 26.8 cm | 62.4 cm | 37.0 cm |
| TW302S3NO44 | Black | 11 | TW302 S3 SRC | 3295249224318 | 13295249224315 | 5 | 1 | 10.2 kg | 28.4 cm | 62.4 cm | 37.0 cm |
| TW302S3NO45 | Black | 11,5 | TW302 S3 SRC | 3295249224325 | 13295249224322 | 5 | 1 | 10.4 kg | 27.8 cm | 63.4 cm | 37.2 cm |
| TW302S3NO46 | Black | 12 | TW302 S3 SRC | 3295249224332 | 13295249224339 | 5 | 1 | 10.5 kg | 26.2 cm | 63.0 cm | 38.0 cm |
| TW302S3NO47 | Black | 13 | TW302 S3 SRC | 3295249224349 | 13295249224346 | 5 | 1 | 10.9 kg | 26.4 cm | 62.6 cm | 37.6 cm |
| TW302S3NO48 | Black | 14 | TW302 S3 SRC | 3295249224356 | 13295249224353 | 5 | 1 | 11.2 kg | 26.6 cm | 62.8 cm | 38.2 cm |

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height