WQUARTZ UP IV Blue

HARD HATS

Head protection



Certifications and norms

Risk Protection

Shock

Electrical

Specific benefits

Comfort

· Ventilation pulls hot air out and draws cool air in, reducing helmet temperature

· Breathability of vented helmet makes extended wear comfortable

· Features 3 textile straps with 8 attachment points for optimal weight distribution

· Adjustable from 53cm to 63cm for optimized comfort

Performance

· Adjustable headband can be positioned high or low for a secure fit that keeps helmet in place during movement

Ease of Use

· Rotor® system (patented) a simple and quick adjustment with or without gloves

Technologies and labels



D-ONE-ROTOR

Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Heavy Industry**
- **Light Industry**
- **Maintenance**

WQUARTZ UP IV Blue

HARD HATS

Head protection

Standards - Details

Technical details

Type of product	Safety Helmet
Shell Material	Shell Material/Polypropylene
Textile	Polyester
Head Measurement (cm)	53-63
Adjustment	D Rotor Ratchet
Ventilation	Vented
Main color	Red
Suspension Points	8 points
Custom logo	Unavailable
Weight (g)	348
Weight (lbs)	0.7657
Lifespan from manufacturing	48 months
Contained colors	White, Blue, Yellow, Orange, Red
Chin Strap Material	Textile

WQUARTZ UP IV

SAFETY HELMETS

Head protection

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
WQUARUP4BL	Blue	Adjustable	WQUARTZ UP IV	3295249318307	13295249318304	40	1	16.5 kg	56.0 cm	42.0 cm	76.0 cm
WQUARUP4OR	Orange	Adjustable	WQUARTZ UP IV	3295249318321	13295249318328	40	1	16.5 kg	56.0 cm	42.0 cm	76.0 cm
WQUARUP4RO	Red	Adjustable	WQUARTZ UP IV	3295249318338	13295249318335	40	1	16.5 kg	56.0 cm	42.0 cm	76.0 cm
WQUARUP4BC	White	Adjustable	WQUARTZ UP IV	3295249318291	13295249318298	40	1	16.5 kg	56.0 cm	42.0 cm	76.0 cm
WQUARUP4JA	Yellow	Adjustable	WQUARTZ UP IV	3295249318314	13295249318311	40	1	16.5 kg	56.0 cm	42.0 cm	76.0 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height