



Hand protection

VE715GR

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, ideal for wet environments



Specific benefits



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
3 1 2 1 X

Risk Protection



Wearing



Hand protection

VE715GR

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, ideal for wet environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyester
Coating Level	3/4 Coating
Coating Material	Nitrile
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	13
Color	Black-Gray
Size	7, 8, 9, 10
Type of conditioning	in individual bags








Safety gloves

VE715GR


WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, ideal for wet environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE715GR07	Black-Grey	07	VE715GR	3295249177676	13295249177673	120	12	6.6 kg	28.6 cm	64.4 cm	24.2 cm
VE715GR08	Black-Grey	08	VE715GR	3295249177683	13295249177680	120	12	7.58 kg	30.2 cm	60.8 cm	24.8 cm
VE715GR09	Black-Grey	09	VE715GR	3295249177690	13295249177697	120	12	7.622 kg	30.4 cm	61.2 cm	23.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height