



Hand protection

DUOCOLOR VE330

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Lightweight for optimal dexterity

Applications

- Agriculture
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services
- Maintenance
- Chemical Industry

Certifications and norms



EN 388
1 0 1 0 X



EN ISO 374-1
TYPE A
AKLMNPT



EN ISO 374-5



Risk Protection



Biological



Chemical



Particules



Hand protection

DUOCOLOR VE330

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms

Standards - Details



EN388:2016+A1:2018

1 [0-4] ABRASION RESISTANCE
0 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
P
T

Technical details

| | |
|----------------------|-------------------------------------|
| Glove kind | Tight glove |
| Glove family | Tight glove unsupported powder free |
| Tight glove kind | Unsupported |
| Coating Level | Full Coating |
| Coating Material | Latex |
| Coating Finish | Grip-textured, Double Layer |
| Number of Coatings | Double Coated |
| Inner finition | Flocked |
| Thickness (mm) | 0,60 |
| Arm level protection | Forearm cuff (< 400mm) |
| Color | Blue-Yellow |
| Size | 6/7, 7/8, 8/9, 9/10 |
| Type of conditioning | in individual bags |



Hand protection

DUOCOLOR VE330

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms

Permeation table

| Chemicals | Letter | CAS # | Permeation level | Permeation time (minutes) | Dégradation moyenne |
|--------------------------|--------|-----------|------------------|---------------------------|---------------------|
| Methanol | A | 67-56-1 | 2 | 30 | 9.4% |
| Sodium Hydroxyde 40% | K | 1310-73-2 | 6 | 480 | -2.4% |
| Acide Sulfurique 96% | L | 7664-93-9 | 3 | 60 | 36.0% |
| Nitric Acid 65% | M | 7697-37-2 | 5 | 240 | 2.1% |
| Acetic Acid 99% | N | 64-19-7 | 2 | 30 | 8.5% |
| Peroxyde d'Hydrogène 30% | P | 7722-84-1 | 6 | 480 | 5.7% |
| Acide hydrofluorique 40% | S | 7664-39-3 | 6 | 480 | X |
| Formaldehyde 37% | T | 50-00-0 | 6 | 480 | 2.0% |








Safety gloves

DUOCOLOR VE330


WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|-------------|------|----------------|---------------|----------------|---|---|---------|---|---|---|
| VE330BJ08 | Blue-Yellow | 8/9 | DUOCOLOR VE330 | 3295249009557 | 13295249009554 | 144 | 12 | 12.5 kg | 46.0 cm | 29.0 cm | 35.0 cm |
| VE330BJ09 | Blue-Yellow | 9/10 | DUOCOLOR VE330 | 3295249009564 | 13295249009561 | 144 | 12 | 13.7 kg | 46.0 cm | 29.0 cm | 35.0 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height