



2.04.208-10 DS2

WORKS IN DRY ENVIRONMENT

Hand protection



Applications

- Public Works
- Building
- Maintenance
- Temporary Work
- Water and Waste Treatment
- Storage

Certifications and norms



EN 388
4 2 3 4 X

Risk Protection



Wearing



Perforation



2.04.208-10 DS2

WORKS IN DRY ENVIRONMENT

Hand protection

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
4 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn leather palm / textile back
Mechanical Glove Type	Cut Sewn
Lining material	Cotton Textile
Thickness (mm)	1.2
Cuff characteristic	Large safety cuff
Cuff length (mm)	265
Color	Grey-Green
Size	10
Type of conditioning	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
120 pairs /box



Safety gloves

2.04.208-10 DS2

WORKS IN DRY ENVIRONMENT

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
DS20810	Grey-Green	10	2.04.208-10 DS2	3295249179533	13295249179530	120	12	30.0 kg	63.0 cm	28.0 cm	52.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height