



手部防护

ATHOS VV902

干燥环境工作

机械防护手套，防撞减震，适用于多用途作业



具体优势



易用性

- 完美的贴合性，使用户在长时间使用我们的手套时不会感到手腕部位的任何不适
- 尼龙搭扣设计，给手腕提供更好收紧保护



高性能

- 灵活性加强，提升对冲击和挤压的防护
- 重量非常轻，使其具备最佳的灵巧性

标准和认证



EN 388
2121XP

应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 维修业
- 采矿
- 临时作业

防范风险



磨损



enjoy safety.

编辑 23/06/2026
www.deltaplus.com.cn



手部防护

ATHOS VV902

干燥环境工作

机械防护手套，防撞减震，适用于多用途作业

详细信息 - 标准



EN388:2016+A1:2018

2 [0-4] 耐磨
1 [0-5] 防切割
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

技术细节

手套类别	特殊手套
手套类别	抗冲击手套
机械手套类	裁剪及缝纫
特殊手套类型	防冲击
纬纱	聚酰胺
袖口特征	魔术贴袖口
产品优势	Reach, 供应商包装
颜色	黄色-灰色-黑色
尺码	10, 11
包装类型	标题卡

包装

销售单位: 标题卡

60 成对/箱



Safety gloves

ATHOS VV902

WORKS IN DRY ENVIRONMENT

Shock-resistant, mechanical glove for multipurpose work

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV902JA09	Yellow-Grey-Black	09	ATHOS VV902	3295249181345	13295249181342	60	12	0.0 kg	0.0 cm	0.0 cm	0.0 cm
VV902JA10	Yellow-Grey-Black	10	ATHOS VV902	3295249180454	13295249180451	60	12	8.9 kg	33.2 cm	60.2 cm	30.0 cm
VV902JA11	Yellow-Grey-Black	11	ATHOS VV902	3295249180461	13295249180468	60	12	9.2 kg	33.8 cm	57.8 cm	31.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height