



手部防护

EOS NOCUT VV909

长时间正常切割作业

用于重型工作的防撞击手套，采用PVC蜂窝加固材料，具有高度的灵活性和轻便性。



具体优势

易用性

·可触屏，用户在使用平板电脑或智能手机时，无需摘下手套

卫生环保

·丁腈涂层，使用者无过敏风险

高性能

·灵活性加强，提升对冲击和挤压的防护

·丁腈涂层让使用者在油腻的环境中工作时，对接触物具备良好的抓握力

应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 重工业
- 轻工业
- 维修业

标准和认证



EN 388
3343DP



EN 407
X1XXXXX



A4 X X

防范风险



冲击



切割



enjoy safety.



EOS NOCUT VV909

长时间正常切割作业

手部防护

用于重型工作的防撞击手套，采用PVC蜂窝加固材料，具有高度的灵活性和轻便性。

详细信息 - 标准



EN388:2016+A1:2018

3 [0-4] 耐磨
3 [0-5] 防切割
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

X [0-4] 燃烧性能
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

技术细节

手套类别	特殊手套
手套类别	影响
机械手套类	针织
特殊手套类型	防冲击
涂层水平	掌面涂层
涂层材质	丁腈
涂层饰面	抓纹涂层
涂层数	单涂层
针数	13
产品优势	Reach, 供应商包装
颜色	黄色-灰色-黑色
尺码	7, 8, 9, 10, 11
包装类型	标题卡



Safety gloves

EOS NOCUT VV909

LONG-LASTING CUT WORK

Impact glove for heavy work, with high flexibility and lightness thanks to its PVC reinforcements made like honeycomb

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV909JA08	Yellow-Grey-Black	08	EOS NOCUT VV909	3295249297107	13295249297104	60	12	9.58 kg	34.6 cm	71.0 cm	18.6 cm
VV909JA09	Yellow-Grey-Black	09	EOS NOCUT VV909	3295249297114	13295249297111	60	12	10.62 kg	34.4 cm	71.8 cm	18.8 cm
VV909JA10	Yellow-Grey-Black	10	EOS NOCUT VV909	3295249297121	13295249297128	60	12	10.93 kg	36.6 cm	74.8 cm	19.4 cm
VV909JA11	Yellow-Grey-Black	11	EOS NOCUT VV909	3295249297138	13295249297135	60	12	10.93 kg	36.4 cm	75.6 cm	18.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height