



Hand protection

CRYOG

THERMAL SPECIFIC WORKS

Thermal, cryogenic leather glove, combining flexibility, increased durability and comfort



Specific benefits



Easy to use

· Hook-and-loop fastener for better wrist support



Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C



Compatibility

· Compatible with liquid nitrogen (down to -196°C) for a few seconds

Applications

- Public Works
- Building
- Maintenance
- Automotive
- Temporary Work

Certifications and norms



EN 388
2 2 2 2 X



EN 511
2
3
X



A2 2 2

Risk Protection



Cold



Hand protection

CRYOG

THERMAL SPECIFIC WORKS

Thermal, cryogenic leather glove, combining flexibility, increased durability and comfort

Standards - Details



EN388:2016+A1:2018

- 2 [0-4] ABRASION RESISTANCE
- 2 [0-5] CUT RESISTANCE
- 2 [0-4] TEAR RESISTANCE
- 2 [0-4] PIERCE RESISTANCE
- X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical Glove Type	Cut Sewn
Special gloves kind	Cold
Lining material	Synthetical textile
Leather Treatment	Hydro
Thickness (mm)	1,1 -> 1,3
Arm level protection	Elbow cuff (<= 500mm)
Cuff characteristic	Large safety cuff
Cuff length (mm)	200
Benefits element	Repellent
Color	Grey-Beige
Size	10
Type of conditioning	Bulk bag of 12








Safety gloves

CRYOG

THERMAL SPECIFIC WORKS

Thermal, cryogenic leather glove, combining flexibility, increased durability and comfort

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
CRYOG10	Grey-Beige	10	CRYOG	3295249026844	13295249026841	36	6	16.8 kg	42.0 cm	53.2 cm	43.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height