



Hand protection

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions



Specific benefits



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
- Hook-and-loop fastener for better wrist support



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Lightweight for optimal dexterity

Certifications and norms



EN 388
2 1 2 1 X

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Automotive
- Temporary work
- Power Energy

Protects against risks



Wearing



Hand protection

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE

1 [0-5] CUT RESISTANCE

2 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Not glove
Glove family	Fingerless Glove
Mechanical glove kind	Cut and sewn
Cuff characteristic	Velcro cuff
Color	Black-Yellow
Size	7, 8, 9, 10, 11
Type of packaging	Header card

Packaging

Sale unit: Header card

60 pairs /box



Safety gloves

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV905NO09	Black-Yellow	09	SAFE & TOUCH VV905NO	3295249228699	13295249228696	60	12	6.6 kg	29.8 cm	62.0 cm	26.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height