



Hand protection

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions



Specific benefits



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
- Hook-and-loop fastener for better wrist support



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Lightweight for optimal dexterity

Certifications and norms



Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Automotive**
- **Temporary Work**
- **Power Energy**

Risk Protection



Wearing



Hand protection

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Not glove
Glove family	Fingerless Glove
Mechanical Glove Type	Cut Sewn
Cuff characteristic	Velcro cuff
Color	Black-Yellow
Size	7, 8, 9, 10, 11
Type of conditioning	Header card








Safety gloves

SAFE & TOUCH VV905NO


WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions

Logistics information


Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV905NO09	Black-Yellow	09	SAFE & TOUCH VV905NO	3295249228699	13295249228696	60	12	6.6 kg	29.8 cm	62.0 cm	26.8 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height