



Hand protection

CHEMSAFE PLUS VV836

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use



Specific benefits



Durability

· Longer service life thanks to a double coating for excellent abrasion resistance



Hygiene

· Nitrile means no risk of allergies for users
· Silicone-free/latex-free/DMF-free to reduce the risk of allergies without leaving traces on components



Performance

· Lightweight for optimal dexterity
· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Technologies and labels



DMF-free



Silicon-free

Applications

- **Public Works**
- **Building**
- **Maintenance**
- **Chemical Industry**
- **Automotive**
- **Oil & Gas (Extraction)**

Certifications and norms



EN 388
3 1 2 1 A



EN ISO 374-1
TYPE A
KLMNPT



EN ISO 374-5

Risk Protection



Biological



Chemical



Particules



Hand protection

CHEMSAFE PLUS VV836

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997



EN 374

K
L
M
N
P
T

Technical details

| | |
|----------------------|--|
| Glove kind | Tight glove |
| Glove family | Tight glove supported |
| Tight glove kind | Supported |
| Coating Level | Full Coating |
| Coating Material | Nitrile, PVC |
| Coating Finish | Grip-textured, Double Layer |
| Number of Coatings | Double Coated |
| Lining material | Synthetical textile |
| Thickness (mm) | 1 |
| Gauge | 18 |
| Arm level protection | Forearm cuff (< 400mm) |
| Benefits element | Reach, Free latex, Silicone free, DMF free, Long cuff (>290mm) |
| Color | Blue |
| Size | 9, 10, 11 |
| Type of conditioning | in individual bags |



Hand protection

CHEMSAFE PLUS VV836

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

Permeation table

| Chemicals | Letter | CAS # | Permeation level | Permeation time (minutes) | Dégradation moyenne |
|-----------------------|--------|---------------|------------------|---------------------------|---------------------|
| Sodium hydroxide 40% | K | CAS 1310-73-2 | 6 | 480 | 2,6% |
| Sulphuric acid 96 % | L | CAS 7664-93-9 | 3 | 60 | 37,1% |
| Nitric acid 65% | M | CAS 7697-37-2 | 2 | 30 | 28,2% |
| Acetic acid 99% | N | CAS 64-19-7 | 2 | 30 | 15,9% |
| Hydrogen peroxide 30% | P | CAS 7722-84-1 | 4 | 120 | 7,9% |
| Formaldehyde 37% | T | CAS 50-00-0 | 5 | 240 | 9,6% |








Safety gloves

CHEMSAFE PLUS VV836

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|------|---------------------|---------------|----------------|---|---|---------|---|---|---|
| VV836BL09 | Blue | 09 | CHEMSAFE PLUS VV836 | 3295249213435 | 13295249213432 | 60 | 6 | 11.0 kg | 34.0 cm | 53.4 cm | 25.6 cm |
| VV836BL10 | Blue | 10 | CHEMSAFE PLUS VV836 | 3295249213442 | 13295249213449 | 60 | 6 | 12.0 kg | 34.2 cm | 54.4 cm | 26.4 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height