



Hand protection

# SAFE & STRONG VV811

WORKS IN DRY ENVIRONMENT

Solvent-free mechanical glove suitable for all environments



## Specific benefits



### Durability

· Environmentally-friendly thanks to its solvent-free coating



### Hygiene

· Silicone-free/ DMF-free, leaving no residue on components while limiting allergies

## Technologies and labels



DMF-free



Silicon-free

## Applications

- Public Works
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining
- Temporary Work

## Certifications and norms



## Risk Protection



Wearing



*enjoy safety.*



Hand protection

# SAFE & STRONG VV811

WORKS IN DRY ENVIRONMENT

Solvent-free mechanical glove suitable for all environments

## Standards - Details



### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
3 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

## Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyamide
Coating Level	Palm Coating
Coating Material	Aqua Polymer
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	15
Benefits element	Reach, Silicone free, DMF free, Vendor pack, Phtalates free, Azo Free
Color	Navy blue-Grey
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bags








Safety gloves

# SAFE & STRONG VV811

WORKS IN DRY ENVIRONMENT

Solvent-free mechanical glove suitable for all environments

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV811GR07	Navy blue-Grey	07	SAFE & STRONG VV811	3295249236397	13295249236394	120	12	5.7 kg	23.4 cm	62.0 cm	30.0 cm
VV811GR08	Navy blue-Grey	08	SAFE & STRONG VV811	3295249236427	13295249236424	120	12	6.2 kg	23.4 cm	62.4 cm	29.6 cm
VV811GR09	Navy blue-Grey	09	SAFE & STRONG VV811	3295249236410	13295249236417	120	12	6.5 kg	23.6 cm	61.6 cm	30.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height