



Hand protection

# HERCULE VV750

THERMAL COLD WORKS

Waterproof, thermal glove up to mid-back, providing comfort and warmth retention for applications in extreme cold environments



## Specific benefits



### Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C

## Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive

## Certifications and norms



EN 388  
3 2 2 1 X



EN 511  
X  
2  
X

## Risk Protection



Cold



Hand protection

# HERCULE VV750

## THERMAL COLD WORKS

Waterproof , thermal glove up to mid-back, providing comfort and warmth retention for applications in extreme cold environments

### Standards - Details



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
2 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Acrylic, Polyamide
Coating Level	3/4 Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Lining material	Fleece fibers
Gauge	13
Benefits element	Reach, Vendor pack
Color	Black
Size	9, 10
Type of conditioning	in individual bags








Safety gloves

# HERCULE VV750

## THERMAL COLD WORKS

Waterproof , thermal glove up to mid-back, providing comfort and warmth retention for applications in extreme cold environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV750NO08	Black	08	HERCULE VV750	3295249249243	13295249249240	60	10	0.0 kg	34.0 cm	48.0 cm	35.0 cm
VV750NO09	Black	09	HERCULE VV750	3295249157586	13295249157583	60	10	8.2 kg	34.8 cm	49.4 cm	36.8 cm
VV750NO10	Black	10	HERCULE VV750	3295249157593	13295249157590	60	10	7.8 kg	34.8 cm	48.8 cm	35.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height