



Hand protection

VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions



Specific benefits



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

· Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market
· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive

Certifications and norms



EN 388
4 X 4 2 F



A6
X X X
ANSI/ISEA 105-2024
A6 X X

Protects against risks



Cutting



Wearing



enjoy safety.

Edit 13/04/2026
www.deltaplus.eu



Hand protection

VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

2 [0-4] PIERCE RESISTANCE

F [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Xtremcut
Coating level	Palm coated
Coating material	PU
Coating finition	Smooth
Number of layer	Single layer
Gauge	13
Cuff characteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Grey
Size	6, 7, 8, 9, 10, 11
Type of packaging	in individual bags



Safety gloves

VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF03GR08	Grey	08	VENICUT F XTREM CUT - VENICUTF03	3295249255305	13295249255302	60	12	5.4 kg	33.0 cm	72.0 cm	16.0 cm
VECUTF03GR09	Grey	09	VENICUT F XTREM CUT - VENICUTF03	3295249255312	13295249255319	60	12	5.7 kg	38.0 cm	48.8 cm	20.6 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height