



手部防护

# VENICUTDX1

长时间正常切割作业

D级防割手套，带有透气涂层，材质非常柔软，适合高强度小心使用



## 具体优势



卫生环保

· 由于其良好的透气性，减少出汗



高性能

· 聚氨酯涂层的防滑性能提供了良好的抓握力。

## 应用行业

- 农业
- 渔业
- 公共工程
- 建筑业
- 终饰工程/工艺
- 维修业

## 标准和认证



## 防范风险



切割



磨损



穿孔



enjoy safety.

编辑 20/05/2026  
www.deltaplus.com.cn



# VENICUTDX1

长时间正常切割作业

D 级防割手套，带有透气涂层，材质非常柔软，适合高强度小心使用

手部防护

## 详细信息 - 标准



**EN388:2016+A1:2018**

4 [0-4] 耐磨

X [0-5] 防切割

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

D [A-F] CUT RESISTANCE ISO 13997

## 技术细节

手套类别	特殊手套
手套类别	针织涂层手套
机械手套类	针织
特殊手套类型	针织带皮革掌面
涂层水平	掌面涂层
涂层材质	PU
涂层饰面	光滑涂层
涂层数	单涂层
针数	13
袖口特征	加长袖口
袖口长度 (mm)	100
产品优势	Reach, 不含铬, 供应商包装, 长袖口 (>290mm)
颜色	灰色
尺码	8, 9, 10, 11
包装类型	独立包装








Safety gloves

# VENICUTDX1

## LONG-LASTING CUT WORK

Level D cut-resistant glove with breathable coating and very soft material for intensive and careful use

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTDX1GR08	Grey	08	VENICUTDX1	3295249261481	13295249261488	60	12	8.0 kg	30.0 cm	50.0 cm	33.0 cm
VECUTDX1GR09	Grey	09	VENICUTDX1	3295249213206	13295249213203	60	12	8.3 kg	30.0 cm	50.0 cm	33.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height