



Hand protection

VENICUTD09

LONG-LASTING CUT WORK

Level D cut-resistant glove with padding for extra durability, ideal in dry conditions



Specific benefits



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Lightweight for optimal dexterity
- The anti-slip properties of the polyurethane coating provides good grip.
- SOFTnocut fiber provides excellent cut resistance

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 X 4 2 D



A4 X X

Risk Protection



Cutting



Wearing



Hand protection

VENICUTD09

LONG-LASTING CUT WORK

Level D cut-resistant glove with padding for extra durability, ideal in dry conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

2 [0-4] PIERCE RESISTANCE

D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	SOFTnocut
Coating Level	Palm Coating
Coating Material	PU
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	13
Cuff characteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Azo Free, Long cuff (>290mm)
Color	Gray
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag

60 pairs /box



Safety gloves

VENICUTD09

LONG-LASTING CUT WORK

Level D cut-resistant glove with padding for extra durability, ideal in dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD09GR08	Grey	08	VENICUTD09	3295249255350	13295249255357	60	12	4.8 kg	35.0 cm	65.0 cm	16.4 cm
VECUTD09GR09	Grey	09	VENICUTD09	3295249255367	13295249255364	60	12	5.3 kg	38.2 cm	48.2 cm	21.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height