Hand protection

VENICUTD07

LONG-LASTING CUT WORK

A4 rated ECOnocut high performance fibers & nitrile coated gloves



Certifications and norms

CE CATEGORY II

EN 388
3 X 4 2 D

A4 X X

Risk Protection

Cutting

Wearing

Perforation

Specific benefits

Hygiene

· Nitrile means no risk of allergies for users

Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Cost-effective

· Construction lot in a cost-effective format for the user, including three pairs for a weekly period of use

Applications

- **Agriculture**
- **Fishing**
- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**

Hand protection

VENICUTD07

LONG-LASTING CUT WORK

A4 rated ECOnocut high performance fibers & nitrile coated gloves

Standards - Details



EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Econocut
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	Bag of 3

Packaging

Sale unit: Bag of 3
Multiple of polybags to order: 4 bags of 3 pairs
120 pairs /box

Safety gloves

VENICUTD07

LONG-LASTING CUT WORK

Level D cut-resistant glove, ideal for oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD07GRG307	Grey-Black	07	VENICUTD07	3295249214470	13295249214477	40	4	11.69 kg	30.5 cm	60.0 cm	38.5 cm
VECUTD07GRG308	Grey-Black	08	VENICUTD07	3295249214487	13295249214484	40	4	12.6 kg	61.0 cm	31.0 cm	38.5 cm
VECUTD07GRG309	Grey-Black	09	VENICUTD07	3295249214494	13295249214491	40	4	13.3 kg	30.0 cm	56.0 cm	37.0 cm
VECUTD07GRG310	Grey-Black	10	VENICUTD07	3295249214500	13295249214507	40	4	14.93 kg	30.5 cm	61.0 cm	39.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height