



Hand protection

VENICUTD08

LONG-LASTING CUT WORK

A4 rated EConocut polyurethane coated gloves



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.



Cost-effective

· Construction lot in a cost-effective format for the user, including three pairs for a weekly period of use

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 X 4 2 D



A4 X X

Risk Protection



Cutting



Wearing



enjoy safety.



Hand protection

VENICUTD08

LONG-LASTING CUT WORK

A4 rated ECONocut polyurethane coated gloves

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Econocut
Coating Level	Palm Coating
Coating Material	PU
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Gray
Size	7, 8, 9, 10, 11
Type of conditioning	Bag of 3








Safety gloves

VENICUTD08


LONG-LASTING CUT WORK

Level D cut-resistant glove, ideal in dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD08GRG307	Grey	07	VENICUTD08	3295249192037	13295249192034	40	4	10.08 kg	31.0 cm	62.0 cm	34.0 cm
VECUTD08GRG308	Grey	08	VENICUTD08	3295249192044	13295249192041	40	4	11.03 kg	31.0 cm	62.0 cm	34.0 cm
VECUTD08GRG309	Grey	09	VENICUTD08	3295249192051	13295249192058	40	4	11.85 kg	31.0 cm	65.0 cm	35.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height