



手部防护

VENICUT F XTREM CUT - VENICUTF01

高强度切割环境作业

F级防切割手套，非常适合在油性或水性环境中进行繁重工作



具体优势

易用性

·完美的贴合性，使用户在长时间使用我们的手套时不会感到手腕部位的任何不适

高性能

· Xtrem CUT纤维使手套更加舒适灵活，同时具备市面上最高等级的防切割性能
· 丁腈涂层让使用者在油腻的环境中工作时，对接触物具备良好的抓握力

应用行业

- 农业
- 公共工程
- 建筑业
- 终饰工程/工艺
- 维修业
- 汽车业

标准和认证



EN 388
4 X 4 3 F



EN 407
X 1 X X X X



A6 X X

防范风险



切割



磨损



穿孔



enjoy safety.



手部防护

VENICUT F XTREM CUT - VENICUTF01

高强度切割环境作业

F级防切割手套，非常适合在油性或水性环境中进行繁重工作

详细信息 - 标准



EN388:2016+A1:2018

4 [0-4] 耐磨
X [0-5] 防切割
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] 燃烧性能
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

技术细节

手套类别	机械防护手套
手套类别	针织涂层手套
机械手套类	针织
纬纱	Xtremcut
涂层水平	掌面涂层
涂层材质	丁腈
涂层饰面	抓纹涂层
涂层数	单涂层
针数	13
袖口特征	加长袖口
袖口长度 (mm)	100
产品优势	Reach, 供应商包装, 长袖口 (>290mm)
颜色	灰色-黑色
尺码	6, 7, 8, 9, 10, 11
包装类型	独立包装








Safety gloves

VENICUT F XTREM CUT - VENICUTF01


INTENSE CUT WORK

Level F cut-resistant glove ideal for heavy duty work in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF01NO08	Grey-Black	08	VENICUT F XTREM CUT - VENICUTF01	3295249235840	13295249235847	60	12	5.4 kg	32.8 cm	72.2 cm	16.2 cm
VECUTF01NO09	Grey-Black	09	VENICUT F XTREM CUT - VENICUTF01	3295249235857	13295249235854	60	12	6.0 kg	34.6 cm	72.6 cm	16.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height