



手部防护

VENICUTC05

长时间轻度切割作业

C级防割多用途手套，重工业的理想选择



具体优势



卫生环保

· 由于其良好的透气性，减少出汗



高性能


· 高性能HEATnocut纤维提供了优秀的耐磨性和防割性

· 高性能HEATnocut纤维使其具备高温耐接触性 (100°C可持续15秒)

应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 维修业
- 汽车业
- 采矿

标准和认证



防范风险



切割



磨损



enjoy safety.



手部防护

VENICUTC05

长时间轻度切割作业

C级防割多用途手套，重工业的理想选择

详细信息 - 标准



EN388:2016+A1:2018

3 [0-4] 耐磨
X [0-5] 防切割
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] 燃烧性能
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

技术细节

手套类别	机械防护手套
手套类别	针织无涂层手套
机械手套类	针织
纬纱	HEATnocut
针数	10
产品优势	Reach, 供应商包装
颜色	黄色-灰色
尺码	7, 9, 10
包装类型	独立包装

包装

销售单位: 独立包装

120 成对/箱



Safety gloves

VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTC05GJ09	Yellow-Grey	09	VENICUTC05	3295249157234	13295249157231	120	12	12.0 kg	30.0 cm	65.0 cm	28.0 cm
VECUTC05GJ10	Yellow-Grey	10	VENICUTC05	3295249157241	13295249157248	120	12	12.6 kg	30.0 cm	65.0 cm	28.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height