



手部防护

# VENICUTC01

长时间轻度切割作业

C级防切割手套，舒适耐用，非常适合在油性或水性环境中使用



## 具体优势



### 卫生环保

- 由于其良好的透气性，减少出汗
- 丁腈涂层，使用者无过敏风险



### 高性能

- 重量非常轻，使其具备最佳的灵巧性
- 丁腈涂层让使用者在油腻的环境中工作时，对接触物具备良好的抓握力
- SOFTnocut纤维提供优秀的防割性能

## 标准和认证



EN 388  
4 X 4 3 C



A3 X X

## 应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 维修业
- 汽车业
- 采矿

## 防范风险



切割



磨损



enjoy safety.

编辑 26/02/2026  
www.deltaplus.com.cn



手部防护

# VENICUTC01

长时间轻度切割作业

C级防切割手套，舒适耐用，非常适合在油性或水性环境中使用

## 详细信息 - 标准



**EN388:2016+A1:2018**

4 [0-4] 耐磨

X [0-5] 防切割

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

C [A-F] CUT RESISTANCE ISO 13997

## 技术细节

手套类别	机械防护手套
手套类别	针织涂层手套
机械手套类	针织
纬纱	玻璃纤维, PEHD, 聚酯纤维, Spandex
涂层水平	掌面涂层
涂层材质	丁腈
涂层饰面	抓纹涂层
涂层数	单涂层
针数	15
袖口特征	加长袖口
袖口长度 (mm)	100
产品优势	Reach, 供应商包装, 长袖口 (>290mm)
颜色	灰色-黑色
尺码	7, 8, 9, 10, 11
包装类型	独立包装



Safety gloves

# VENICUTC01

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant glove with padding for extra durability, ideal for use in oily or aqueous environments

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTC01GR08	Grey-Black	08	VENICUTC01	3295249270704	13295249270701	60	12	5.0 kg	38.4 cm	45.6 cm	19.2 cm
VECUTC01GR09	Grey-Black	09	VENICUTC01	3295249270711	13295249270718	60	12	5.4 kg	37.6 cm	48.0 cm	18.8 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height