



Hand protection

VE733

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip in wet or dry conditions owing to its eco-friendly coating



Specific benefits



Durability

- Environmentally-friendly thanks to its solvent-free coating



Performance

- The high-performance HEATnocut fiber provides resistance to contact heat (250° for 15 seconds)

Technologies & labels

- Solvent-free

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Temporary work

Certifications and norms



EN 388
2 1 4 1 A



EN 407
X 2 X X X X

Protects against risks



Heat



Wearing



enjoy safety.

Edit 10/10/2026
www.deltaplus.eu



Hand protection

VE733

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip in wet or dry conditions owing to its eco-friendly coating

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] BURNING BEHAVIOUR
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Polyester
Coating level	Palm coated
Coating material	Latex
Coating finition	Smooth
Number of layer	Single layer
Gauge	13
Color	Orange-Blue
Size	7, 8, 9, 10, 11
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
120 pairs /box



Safety gloves

VE733

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip in wet or dry conditions owing to its eco-friendly coating

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE733OR07	Orange-Blue	07	VE733	3295249237363	13295249237360	120	12	8.5 kg	28.6 cm	57.6 cm	27.2 cm
VE733OR08	Orange-Blue	08	VE733	3295249237370	13295249237377	120	12	9.4 kg	28.2 cm	58.0 cm	28.2 cm
VE733OR09	Orange-Blue	09	VE733	3295249237387	13295249237384	120	12	10.6 kg	0.284 m	0.582 m	0.274 m



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height