Hand protection

VE729

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions



Certifications and norms

CE CATEGORY II

EN 388
4 1 3 1 A

Risk Protection

Wearing

Specific benefits

Hygiene

· Nitrile means no risk of allergies for users

Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Automotive**
- **Mining**
- **Water and Waste Treatment**

Hand protection

VE729

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyamide, Spandex
Coating Level	3/4 Coating
Coating Material	PU, Nitrile
Coating Finish	Smooth
Number of Coatings	Single Coated
Dots material	Nitrile Dots
Gauge	15
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
120 pairs /box

Safety gloves

VE729

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE729NO08	Grey-Black	08	VE729	3295249193386	13295249193383	120	12	7.5 kg	37.6 cm	56.2 cm	22.4 cm
VE729NO09	Grey-Black	09	VE729	3295249193393	13295249193390	120	12	7.7 kg	44.0 cm	28.0 cm	37.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height