



Hand protection

PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use



Specific benefits



Performance

- Extra thick and long for extra protection of the entire arm

Applications

- Building
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining
- Petrochemical

Certifications and norms



EN 388
3 1 2 1 X



EN ISO 374-1
TYPE B
AKL



EN ISO 374-5

Protects against risks



Biological



Wearing



Chemical



Particules



Hand protection

PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating level	Fully coated
Coating material	PVC
Coating finition	Smooth
Number of layer	Single layer
Lining material	Cotton Textile
Thickness (mm)	1,20 -> 1,40
Arm level protection	Elbow cuff (<= 500mm)
Benefits element	Reach, Long cuff (>290mm)
Color	Red
Size	10
Type of packaging	Bulk bag of 12



Hand protection

PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	2	30	-4.7%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-0.1%
Acide Sulfurique 96%	L	7664-93-9	5	240	0.1%








Safety gloves

PVCC400


WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
PVCC40010	Red	10	PVCC400	3295249134396	13295249134393	120	12	40.16 kg	78.0 cm	41.0 cm	32.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height