PVCC400
WORK WITH PROLONGED CHEMICAL RESISTANCE
Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Specific benefits

📈 Performance

· Extra thick and long for extra protection of the entire arm

Applications

- **Building**
- **Maintenance**
- **Chemical Industry**
- **Oil & Gas (Extraction)**
- **Mining**
- **Petrochemical**

Certifications and norms

CE

EN 388
3 1 2 1 X

EN ISO 374-1
TYPE B
AKL

EN ISO 374-5

Risk Protection

Biological   Wearing   Chemical   Particules

PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Standards - Details

EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

EN 374
A : MÉTHANOL
K
L

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating Level	Full Coating
Coating Material	PVC
Coating Finish	Smooth
Number of Coatings	Single Coated
Lining material	Cotton Textile
Thickness (mm)	1,20 -> 1,40
Arm level protection	Elbow cuff (<= 500mm)
Benefits element	Reach, Long cuff (>290mm)
Color	Red
Size	10
Type of conditioning	Bulk bag of 12

enjoy safety

PVCC400
WORK WITH PROLONGED CHEMICAL RESISTANCE
Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Hand protection

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	2	30	-4.7%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-0.1%
Acide Sulfurique 96%	L	7664-93-9	5	240	0.1%

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	📦	⚖	Weight	Box Width	Box Depth	Box Height
PVCC40010	Red	10	PVCC400	3295249134396	13295249134393	120	12	40.16 kg	78.0 cm	41.0 cm	32.0 cm

📦 Multiple sales

⚖ Minimum sales

▱ Box Width

▱ Box Depth

▱ Box Height