



Hand protection

NI015

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof up to the mid-back and lightweight for long wearing periods



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
2111X

Applications

- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Cleanliness
- Temporary Work
- Public Services

Risk Protection



Wearing



enjoy safety.

Edit 12/04/2026
www.deltaplus-usa.com



Hand protection

NI015

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof up to the mid-back and lightweight for long wearing periods

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn textile coated glove
Mechanical Glove Type	Cut Sewn
Coating Level	3/4 Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Thickness (mm)	0.80
Cuff characteristic	Added knitted cuff
Color	Yellow
Size	7, 8, 9, 10, 11
Type of conditioning	Bulk bag of 12








Safety gloves

NI015

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof up to the mid-back and lightweight for long wearing periods

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
NI01507	Yellow	07	NI015	3295249010737	13295249010734	120	12	6.1 kg	26.6 cm	49.2 cm	25.8 cm
NI01508	Yellow	08	NI015	3295249024307	13295249024304	120	12	6.4 kg	25.8 cm	49.4 cm	26.8 cm
NI01509	Yellow	09	NI015	3295249018818	13295249018815	120	12	7.0 kg	25.6 cm	53.4 cm	26.8 cm
NI01510	Yellow	10	NI015	3295249010744	13295249010741	120	12	7.6 kg	26.4 cm	53.4 cm	27.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height