



Hand protection

# DS202RP

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection



## Applications

- **Public Works**
- **Building**
- **Maintenance**
- **Temporary Work**
- **Water and Waste Treatment**
- **Storage**

## Certifications and norms



EN 388  
4 2 2 3 X

## Risk Protection



Wearing



Perforation



Hand protection

# DS202RP

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection

## Standards - Details



### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE  
2 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
3 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

## Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn leather palm / textile back
Mechanical Glove Type	Cut Sewn
Lining material	Leather, Cotton Textile
Thickness (mm)	0,9 -> 1,1
Cuff characteristic	Large safety cuff
Color	Grey-Blue
Size	10
Type of conditioning	Bulk bag of 12








Safety gloves

# DS202RP

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
DS202RP10	Grey-Blue	10	DS202RP	3295249012908	13295249012905	120	12	27.12 kg	44.0 cm	28.0 cm	68.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height