Hand protection

DS202RP

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection



Applications

- **Public Works**
- **Building**
- **Maintenance**
- **Temporary Work**
- **Water and Waste Treatment**
- **Storage**

Certifications and norms

CE CATEGORY II

EN 388
4 2 2 3 X

Risk Protection

Wearing

Perforation

DELTAPLUS

enjoy safety.

Edit 27/11/2026
www.deltaplus-usa.com

Hand protection

DS202RP

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn leather palm / textile back
Mechanical Glove Type	Cut Sewn
Lining material	Leather, Cotton Textile
Thickness (mm)	0,9 -> 1,1
Cuff caracteristic	Large safety cuff
Color	Grey-Blue
Size	10
Type of conditioning	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
120 pairs /box

Safety gloves

DS202RP

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
DS202RP10	Grey-Blue	10	DS202RP	3295249012908	13295249012905	120	12	27.12 kg	44.0 cm	28.0 cm	68.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height