



RIMINIO S1P SRC ESD

ESD

Foot protection



Specific benefits



Comfort

- Shock-absorbing heel to relieve joint strain
- Dual-density outsole
- Ergonomically designed footwear for comfortable wear



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345:2011
S1P FO A E ESD SRC

Applications

- Events & Scenic
- Light Industry
- Maintenance
- Automotive
- Temporary Work
- Public Services

Risk Protection



Antistatic



Shock



Slip



Perforation



RIMINIO S1P SRC ESD

ESD

Foot protection

Standards - Details

Technical details

Type of Shoe	Low Shoe
Outsole material	PU, 2d
Anti-perforation insert	Stainless steel
Upper material	Leather, Textile
Upper finition material	Split Leather, Velvet
Safety toe-cap	Stainless steel
Lining material	Textile, Polyester
Lining Material Finish	Absorbent
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Pre-molded
Outsole finition	Injected
Size range	35 → 46



RIMINIO S1P SRC ESD

ESD

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WRIMIOEPNJ35	Black-Yellow (C128)	35 (T019)	RIMINIO S1P SRC ESD	3295249268251	13295249268258	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ36	Black-Yellow (C128)	36 (T020)	RIMINIO S1P SRC ESD	3295249268268	13295249268265	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ37	Black-Yellow (C128)	37 (T021)	RIMINIO S1P SRC ESD	3295249268275	13295249268272	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ38	Black-Yellow (C128)	38 (T022)	RIMINIO S1P SRC ESD	3295249268282	13295249268289	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ39	Black-Yellow (C128)	39 (T023)	RIMINIO S1P SRC ESD	3295249268299	13295249268296	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ40	Black-Yellow (C128)	40 (T024)	RIMINIO S1P SRC ESD	3295249268305	13295249268302	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ41	Black-Yellow (C128)	41 (T025)	RIMINIO S1P SRC ESD	3295249268312	13295249268319	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ42	Black-Yellow (C128)	42 (T026)	RIMINIO S1P SRC ESD	3295249268329	13295249268326	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ43	Black-Yellow (C128)	43 (T027)	RIMINIO S1P SRC ESD	3295249268336	13295249268333	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ44	Black-Yellow (C128)	44 (T028)	RIMINIO S1P SRC ESD	3295249268343	13295249268340	10	1	18.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ45	Black-Yellow (C128)	45 (T029)	RIMINIO S1P SRC ESD	3295249268350	13295249268357	5	1	9.0 kg	58.5 cm	43.0 cm	32.5 cm
WRIMIOEPNJ46	Black-Yellow (C128)	46 (T030)	RIMINIO S1P SRC ESD	3295249268367	13295249268364	5	1	9.0 kg	58.5 cm	43.0 cm	32.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height