KAZAK EH

户外作业

足部防护

牛皮高帮安全鞋，坚固、舒适、无金属，适用于采矿、石油和天然气行业



具体优势

舒适性

· 鞋跟减震，缓解关节压力

高性能

· 鞋底可耐300°C高温热接触

· 鞋底抓地力确保了鞋的高稳定性

卫生环保

· 鞋垫可脱卸，便于清洗

标准和认证

ASTM F2413
ASTM F2413-24 M I, C EH, PR

应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 重工业
- 维修业
- 化工业

防范风险

高温　冲击　滑倒　电力

DELTAPLUS

enjoy safety

编辑 27/11/2026
www.deltaplus.com.cn



足部防护

KAZAK EH

户外作业

牛皮高帮安全鞋，坚固、舒适、无金属，适用于采矿、石油和天然气行业

详细信息 - 标准

技术细节

鞋型	徒步鞋
外底材质	PU, 丁腈橡胶
中底	无金属
鞋面材质	皮革
鞋面装饰材质	粒面革
鞋包头	复合材料
内衬材质	织物
内衬材质特性	三密度
鞋内底材质	PU, 织物
鞋垫特性	解剖学, 人体工学, 可脱卸
外底工艺	注塑
尺码范围	36 → 48



Safety footwear

KAZAK EH

UTILITIES

A non-magnetic ranger with robust construction and flawless comfort, for the mining and oil and gas industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
KAZAKEHMA36	Brown	36	KAZAK EH	3295249239572	13295249239579	5	1	10.8 kg	32.5 cm	63.0 cm	34.0 cm
KAZAKEHMA37	Brown	37	KAZAK EH	3295249239619	13295249239616	5	1	10.8 kg	32.5 cm	63.0 cm	34.0 cm
KAZAKEHMA38	Brown	38	KAZAK EH	3295249239626	13295249239623	5	1	10.8 kg	32.5 cm	63.0 cm	34.0 cm
KAZAKEHMA39	Brown	39	KAZAK EH	3295249239633	13295249239630	5	1	9.3 kg	36.0 cm	64.5 cm	31.0 cm
KAZAKEHMA40	Brown	40	KAZAK EH	3295249239640	13295249239647	5	1	9.8 kg	32.5 cm	69.0 cm	39.0 cm
KAZAKEHMA41	Brown	41	KAZAK EH	3295249239657	13295249239654	5	1	10.08 kg	39.0 cm	69.0 cm	32.5 cm
KAZAKEHMA42	Brown	42	KAZAK EH	3295249239664	13295249239661	5	1	10.35 kg	32.5 cm	69.0 cm	39.0 cm
KAZAKEHMA43	Brown	43	KAZAK EH	3295249239671	13295249239678	5	1	10.64 kg	39.0 cm	39.0 cm	32.5 cm
KAZAKEHMA44	Brown	44	KAZAK EH	3295249239688	13295249239685	5	1	10.8 kg	37.0 cm	68.0 cm	37.0 cm
KAZAKEHMA45	Brown	45	KAZAK EH	3295249239695	13295249239692	5	1	11.6 kg	35.0 cm	75.0 cm	43.0 cm
KAZAKEHMA46	Brown	46	KAZAK EH	3295249239701	13295249239708	5	1	13.5 kg	37.2 cm	68.0 cm	38.0 cm
KAZAKEHMA47	Brown	47	KAZAK EH	3295249239718	13295249239715	5	1	14.7 kg	37.2 cm	68.0 cm	38.0 cm
KAZAKEHMA48	Brown	48	KAZAK EH	3295249239725	13295249239722	5	1	14.7 kg	37.2 cm	68.0 cm	38.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height