Body protection

ALUMAN19A

FLAME RETARDANT

Aluminized coat for protection against extreme heat and molten metal splashes



Certifications and norms

CATEGORY 3

EN ISO 11612
A1 A2 B1 C3 D3 E3 F1

Risk Protection

Heat

Specific benefits

Compatibility

· Can be combined with all garments in the range of the same name

Technologies and labels

· PROBAN®

· REFLESPACE®

Applications

- **Building**
- **Automotive**
- **Oil & Gas (Extraction)**

Body protection

ALUMAN19A

FLAME RETARDANT

Aluminized coat for protection against extreme heat and molten metal splashes

Standards - Details

Technical details

Type of Clothing	Aluminized Coat
Gender	Unisex
Size range	M → 3XL
Workwear color	Silver
Support material details	70% para-aramide 30% aluminized pre-oxyded polyacrylonitrile - 515 g/m² | Lining - 100% cotton
Fastening	Hook and Loop and Zipper Closure



Protective clothing

ALUMAN19A

FLAME RETARDANT

Aluminized coat for protection against extreme heat and molten metal splashes

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ALUMAN19ATM	Aluminium-coloured	M	ALUMAN19A	3295249238599	13295249238596	1	1	2.85 kg	70.0 cm	42.0 cm	10.0 cm
ALUMAN19AXG	Aluminium-coloured	XL	ALUMAN19A	3295249238629	13295249238626	1	1	2.89 kg	70.0 cm	42.0 cm	10.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height