



Body protection

ALUMAN19N

FLAME RETARDANT

Aluminized coat for protection against extreme heat and molten metal splashes



Specific benefits



Compatibility

- Can be combined with all garments in the range of the same name

Technologies & labels

- REFLESPACE®
- PROBAN®

Applications

- Building
- Automotive
- Oil & Gas (extraction)

Certifications and norms



EN ISO 11612
A1 A2 B1 C3 D3 E3 F1

EN ISO 13688

Protects against risks



Heat



Body protection

ALUMAN19N

FLAME RETARDANT

Aluminized coat for protection against extreme heat and molten metal splashes

Standards - Details

Technical details

Type of workwear	Aluminized coat
Gender	Mixte
Size range	M → 3XL
Workwear color	Silver
Support material details	100% aluminized viscose - 580 g/m ² Lining - 100% cotton
Fastening	Scratch fastening and zipper



ALUMAN19N

FLAME RETARDANT

Protective clothing

Aluminized coat for protection against extreme heat and molten metal splashes

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ALUMAN19NTM	Aluminium-coloured	M	ALUMAN19N	3295249238605	13295249238602	1	1	2.89 kg	70.0 cm	42.0 cm	10.0 cm
ALUMAN19NGT	Aluminium-coloured	L	ALUMAN19N	3295249238650	13295249238657	1	1	2.89 kg	70.0 cm	42.0 cm	10.0 cm
ALUMAN19NXG	Aluminium-coloured	XL	ALUMAN19N	3295249238667	13295249238664	1	1	3.4 kg	43.6 cm	70.8 cm	13.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height