Body protection

ALUCAG19N

FLAME RETARDANT

Aluminized range for protection against extreme heat and molten metal splashes



Certifications and norms

CATEGORY 3

EN ISO 11612
A1 A2 B1 C3 D3 E3 F1

EN ISO 13688

Protects against risks

Heat

Specific benefits

Compatibility

· Can be combined with all garments in the range of the same name

Technologies & labels

· PROBAN®

· REFLESPACE®

Applications

- **Building**
- **Automotive**
- **Oil & Gas (extraction)**



Body protection

ALUCAG19N

FLAME RETARDANT

Aluminized range for protection against extreme heat and molten metal splashes

Standards - Details

Technical details

Type of workwear	Aluminized balaclava
Gender	Mixte
Workwear color	Silver
Support material details	100% aluminized viscose - 515 g/m^2
Not included	Visor sold separately



Protective clothing

ALUCAG19N

FLAME RETARDANT

Aluminized range for protection against extreme heat and molten metal splashes

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ALUCAG19NTU	Aluminium-coloured	One size	ALUCAG19N	3295249237943	13295249237940	1	1	1.9 kg	48.0 cm	22.0 cm	21.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height