



Fall protection

AM018

CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling



Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN 362
CLASS B

Risk Protection



Fall



Fall protection

AM018

CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling

Standards - Details

Technical details

Type of equipment	Karabiner with 1/4 turn automatic lock
Composition of the main support	Steel
Length (m)	0,108
Gate opening (mm)	19
Opening (inch)	0.7467
Lock	Automatic system
Color	Steel
Lifespan from manufacturing (years)	20
Weight (kg)	0,200
Length (ft)	0.3544
Major axis strength (kN)	23








Fall protection

AM018 CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AM018V2	Steel	One size	AM018	3295249284787	13295249284784	20	1	5.28 kg	19.5 cm	26.7 cm	16.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height