



Fall protection

TR00530

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 30 m cable, adaptable to our tripods and davit arm



Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

Certifications and norms

CE CATEGORY III

2006/42/EEC

Protects against risks



Fall



Fall protection

TR00530

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 30 m cable, adaptable to our tripods and davit arm

Standards - Details

Technical details

| | |
|-------------------------------------|--|
| Warning | This product is not a fall arrest system. Ensure that the user is equipped with a fall arrest system suitable for their working conditions |
| Type of equipment | Manual winch |
| Composition of the main support | Galvanized steel |
| Max. length (ft) | 30 |
| ARA length (m) | 30 |
| ARA length (inch) | 1181.103 |
| Color | Steel |
| Connector (user side) | Automatic lock hook, steel, opening 22mm |
| Lifespan from manufacturing (years) | 20 |
| Safe working load (kg) | 250 |








Fall protection

TR00530

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 30 m cable, adaptable to our tripods and davit arm

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|------|-------------|---------------|----------------|---|---|---------|---|---|---|
| TR00530 | Steel | 30 m | TR00530 | 3295249219178 | 13295249219175 | 1 | 1 | 20.0 kg | 40.0 cm | 30.0 cm | 25.0 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height