Fall protection

HAR25HA

FALL ARRESTER HARNESSES

Ergonomic harness with belt, with an extension strap for easy evacuation in confined spaces.



Certifications and norms

CE CATEGORY III

EN361
150 KG

EN358
150 KG

Risk Protection

Fall

Specific benefits

Comfort

· Extension lanyard facilitates victim rescue and evacuation
· Leg strap design allows freedom of movement for long working days
· Thermoformed belt provides lumbar support and optimal comfort

Hygiene

· Can wash harnesses and textiles with neutral soap

Performance

· Certification above maximum rated load 100kg: product certified at 150kg

Ease of Use

· Ergonomic design facilitates user movement

Applications

- **Agriculture**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Oil & Gas (Extraction)**



Fall protection

HAR25HA

FALL ARRESTER HARNESSES

Ergonomic harness with belt, with an extension strap for easy evacuation in confined spaces.

Standards - Details

Technical details

Type of equipment	Fall arrester harness with restraint
Composition of the main support	Steel, Polyester
Fastening	Buckles
Number of attachment points	2
Number of total holding attachment points	2
Buckles	Automatic loop
Anti-fall point	Dorsal, Sternal
Holding point	Belt
Color	Black
Comfort elements	Thermoformed back
Size	S/M/L, XL/XXL
Benefits element	Fall indicator
Lifespan from manufacturing (years)	10
Weight (kg)	1,9
Number of manual buckles	2
Number of automatic loops	4
Number of fall arrest anchorage points	2
Padding	Back, Belt
Sternal	1
Dorsal	1
Belt	1
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection

坠落防护

501026

防坠落安全带

符合人体工程学的安全带，搭配腰带和延伸带，易于在密闭空间进行疏散撤离

物流信息

产品代码	颜色	尺码	六位码	条形码	箱码	箱规	最低销售	重量	箱长	箱宽	箱高
HAR25HAGT	黑色	S/M/L	501026	3295249237516	13295249237513	5	1	12.86 kg	23.0 cm	76.0 cm	26.0 cm

箱规

最低销售

箱长

箱宽

箱高