



坠落防护

PROTECTOR LARGE AN18030T

可伸缩防坠落装置

自动收缩式防坠制动器，配有手提带，便于运输和安装，长度为30m



具体优势

舒适性

· 双旋转挂钩，实现最佳用户跟踪

高性能

· 认证的最大额定负载在100kg以上：产品认证在150kg以下
· 双旋转挂钩设计，实现最佳用户跟踪，外壳内绳索复卷的效率提升

易用性

· 自动锁扣保证安全，节省锁定时间
· NFC系统保证可追溯性

耐用性

· 抗冲击ABS外壳

标准和认证



EN360
RFU 11.062
150 KG



应用行业

- 建筑业
- 终饰工程/工艺
- 维修业
- 化工业
- 石油化工
- 仓储

防范风险



坠落



enjoy safety.

编辑 16/04/2026
www.deltaplus.com.cn



坠落防护

PROTECTOR LARGE AN18030T

可伸缩防坠落装置

自动收缩式防坠制动器，配有手提带，便于运输和安装，长度为30m

详细信息 - 标准

技术细节

装备类型	钢缆卷轴
主要支架的组成	ABS, 镀锌钢
最大长度 (m)	30
ARA长度 (m)	30
ARA长度 (inch)	1181.103
绳索直径 (mm)	5
包含配件	包含能量吸收器
颜色	黑色-红色
连接器 (用户方)	小钩, 钢制, 开口21mm
产品优势	坠落指示器
自生产之日起的产品寿命 (年)	20
重量 (kg)	12,35
一人最大载重量 (kg)	150
防坠落作业类型	永久性建筑上的垂直移动, 长距离垂直移动或倾斜表面上的移动
锁定系统	惯性锁定系统
Use of self retracting	Vertical








Fall protection

PROTECTOR LARGE AN18030T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester with carrying handle for easy transport and installation, for lengths of 30 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN18030T	Black-Red	30 m	PROTECTOR LARGE AN18030T	3295249233839	13295249233836	1	1	13.4 kg	27.8 cm	46.0 cm	19.8 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height