TRA32BAG

RESCUE AND EVACUATION

Fall protection



Applications

- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)
- Mining
- Petrochemical

Certifications and norms

CE CATEGORY III

EN 795
TYPE B

TS16415
3

Risk Protection

Fall

TRA32BAG

RESCUE AND EVACUATION

Fall protection

Standards - Details

Technical details

Type of equipment	Telescopic tripod
Composition of the main support	Aluminum
Anchoring device	Tripod
Max. length (m)	3,02
Min. length (m)	1,74
Length (m)	3
Color	Aluminium-coloured
Size	One size
Weight (kg)	22,2
Wheelbase on ground (m)	2,62
Maximum number of users	3
Fall arrest work situations	Rescue and evacuation, Vertical movement, confined space
Lenght (ft)	9.8425

TRA32BAG

RESCUE AND EVACUATION

Fall protection

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
TRA32BAG	Aluminium-coloured	Adjustable	TRA32BAG	3295249199289	0	1	1	31.8 kg	27.6 cm	30.3 cm	209.5 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height